



Anilox rolls require special care during storage, handling, and assembly. Tamburini has developed a special, extremely lightweight and manageable fiberglass and epoxy resin cover to protect Anilox rolls stored in the warehouse from impacts and dust. Its structure allows for easy positioning without the use of air or other mechanical tools and allows the Anilox to be mounted on the machine complete with its protection, which will only be removed when the Anilox is in the printing position, thus preventing any impact damage during assembly.

We produce all of our protective covers based on the individual dimensions of your Anilox rolls.

Other technical notes:

- Concentricity (TIR) $\geq 0,025$ mm
- Length tolerance according to DIN ISO 2768T1c



TECHNICAL SPECIFICATIONS **PROTEZIONE ANILOX**

Rigidity	Conductivity	Surface hardness	Resistance to external solvents	Mechanical strength	Moisture resistance	HD Printing	Side protection	Steel ring protection

The content of this document does not constitute a warranty from Tamburini S.r.l., particularly with regard to the suitability of the products represented for specific purposes; therefore, the customer is invited to verify beforehand that the product has the suitable characteristics for the intended use. Tamburini S.r.l. reserves the right to update this publication and periodically make changes to its content, including technical and/or commercial changes, without giving notice of revision or modification. This document, its logos, trademarks, specifications, etc. are protected by copyright laws with all rights reserved.

